








# Abbraccio



- Struttura:** struttura portante in metallo, molleggio seduta con cinghie elastiche ricoperta con poliuretano espanso indeformabile 75/SR, PF 40/PFR e fibra poliestere 200 gr/mq. rivestita con piuma d'oca ½ B con fodera 100% cotone spigato bianco. Struttura schienale rinforzata con tessuto poliestere-cotone, ricoperta con poliuretano espanso 40/PH e rivestita con fibra poliestere 100 gr/mq. Basamento in acciaio con trattamento galvanico cromo satinato opaco.
- Structure:** *supporting metal frame, seat springing system with elastic belts, padded with non-deformable polyurethane foam 75/SR, PF 40/FR, polyester fiber 200 gr/mq. and covered with 100% cotton-fabric filled with natural goose feather ½ B. Back metal frame reinforced with polyester cotton-fabric and covered with polyurethane fiber 100 gr/mq. Base is made of metal with galvanic treatment and satined matt chrome finish.*
- Base:** in tubolare d'acciaio con trattamento galvanico cromo lucido.  
**Base:** *in tubular steel with galvanic treatment bright chrome finish.*
- Schienale:** in piumafill: 50% piuma d'oca + 50% fibra di poliestere HCS con fodera 100% cotone spigato bianco.  
**Back:** *in 100% cotton-fabric filled with piumafill: 50% natural goose feather + 50% polyester fiber HCS.*
- Rivestimenti:** il modello è realizzabile in tessuto o pelle.  
**Covers:** *covers can be made with fabric or leather.*

POLIURETANO ESPANSO SENZA C.F.C.  
POLYURETHANE FOAM C.F.C. FREE



-  Piuma d'oca vergine  
*Natural goose feather*
-  Poliuretano 40/PH (8,0 kPa)  
*Polyurethane 40/PH (8,0 kPa)*
-  Poliuretano PF 40/PFR (3,0 kPa)  
*Polyurethane PF 40/PFR (3,0 kPa)*
-  Struttura metallo  
*Metal frame*
-  Base  
*Base*